





| Date Created/Modified: 01/17/2020  | )                           |  |            |                                      |               |
|--|-----------------------------|--|------------|--------------------------------------|---------------|
|  |                             |  |            |                                      |               |
| <u>Item #</u>  |                             | <u>Item Description</u>                    |            |                                      | Confirm #     |
| 4666   |                             | Space Maze Puzzles                         |            |                                      | \$19276       |
| City of Factory  | Country of Footony          | Data(s) of Max                             | aufa atura | Immorri                              | tor of Dogord |
| City of Factory NINGBO   | Country of Factory China    | Date(s) of Manufacture  DECEMBER, 2019     |            | Importer of Record  U.S. Toy Company |               |
| NINGBO   | Crima                       | DECEMBER, 2019                             |            | 13201 Arrington Rd                   |               |
|  |                             |  |            |                                      | iew, MO 64030 |
|  |                             |  |            |                                      | 5) 761-5900   |
|  |                             |  |            |                                      | •             |
| Third Party Testing Lab  | <u>Thir</u>                 | rd Party Testing Lab                       |            | Third Party Testing I                | <u>Lab</u>    |
| Lab: Intertek Testing Services HK Ltd.   | Lab:                        |  | Lab:       |                                      |               |
| Contact: Sam Ng  | Contact:                    |  | Contact:   |                                      |               |
| Address: 6/F, Garment Centre, 576 Castle   | Address:                    |  | Address:   |                                      |               |
| Peak Road, Kowloon, Hong Kong  |                             |  |            |                                      |               |
| Phone #: <b>852-2173-8758</b>  | Phone #:                    |  | Phone #:   |                                      |               |
|  | Test Date(s):               | Test Report(s) #:                          | $\neg$     |                                      |               |
|  | 11-Dec-19                   | HKGH02541736                               |            |                                      |               |
|  | 11-Dec-19                   | 11102341730                                |            |                                      |               |
|  |                             |  |            |                                      |               |
|  |                             |  |            |                                      |               |
|  |                             |  |            |                                      |               |
| Product safety standards to which this product has been tested and is being certified: |                             |  |            |                                      |               |
|  |                             |  |            |                                      |               |
| ASTM F963-17 Physical/Mechanical   |                             |  |            |                                      |               |
| ASTM F963-17 Flammability (finished product)   |                             |  |            |                                      |               |
| ASTM F963-17 Heavy Metal   |                             |  |            |                                      |               |
| 16 CFR 1303 Total Lead Content (Surface/Substrates)                                    |                             |  |            |                                      |               |
| US Phthalates  |                             |  |            |                                      |               |
|  |                             |  |            |                                      |               |
|  |                             |  |            |                                      |               |
|  |                             |  |            |                                      |               |
|  |                             |  |            |                                      |               |
|  |                             |  |            |                                      |               |
|  | A copy of this report a     | nd all test results will be maintained by: |            |                                      |               |
|  | Name: Courtney Peterman     |  |            |                                      |               |
|  | Address: 13201 Arrington Rd | Grandview, MO 64030                        |            |                                      |               |
|  | Phone: (816) 965-2325       |  |            |                                      |               |

Email: capeterman@ustoyco.com