





| | 4 1161 | | | | | | |
|--|----------------------------|---------------|-------------------------|----------------------|------------------------|--------------------|--|
| Date Created/N | Modified: JAN 21, 201 | 14 | | | | | |
| | | | | | | | |
| <u>Item #</u> | | | Item Description | | | Confirm # | |
| ED231 | | | EASTER EGGS / 2 INCH | | | 32436 | |
| | | | | | | | |
| | City of Factory | Country of Fa | actory Dat | te(s) of Manufacture | Importer | Importer of Record | |
| | SHANTOU | CHINA | CHINA DEC 10, 2013 | | U.S. Toy Company | | |
| | | | | | 13201 Arrington Rd | | |
| | | | | | Grandview | , MO 64030 | |
| | | | | | (816) 7 | 61-5900 | |
| | | | | | | | |
| | Third Party Testing Lab | | Third Party Testing Lab | | Third Party Testing La | ıb | |
| Lab: | INTERTEK | Lab: | | Lab: | | | |
| Contact: | KAREN S. C. NG | Contact: | | Contact: | | | |
| | 2/F, GARMENT CENTRE, | Address: | | Address: | | | |
| | TLE REAK ROAD, KOWLOON, HK | | | | | | |
| Phone #: | 852 2173 8888 | Phone #: | | Phone #: | | | |
| | | | | | | | |
| | | Test Date(s): | Test Repo | rt(s) #: | | | |
| | | SEP 23, 2009 | HKGH009 | | | | |
| | | OCT 02, 2009 | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Product safety standards to which this product has been tested and is being certified: | | | | | | | |
| Trouble salety standards to which this product has been tested and is being settined. | | | | | | | |
| ASTM F963 Physical/Mechanical | | | | | | | |
| US Phthalates | | | | | | | |
| 16 CFR 1303 Total Lead Content (Surface/Substrates) | | | | | | | |
| US FDA for Foodware/Drinkware | | | | | | | |
| OO I DA IOI I OOGHGIO/DIIIIKHGIO | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

A copy of this report and all test results will be maintained by: Name: Courtney Peterman Address: 13201 Arrington Rd Grandview, MO 64030 Phone: (816) 761-5900 ext. 2420 Email: capeterman@ustoyco.com