## **Certificate of Compliance**

Date Created/Modified: SEP 22, 2010

This is to certify that the product listed below has been tested in accordance with the following laws and governmental regulations, including the CPSIA of 2008.

|              | Mandatory Tests Performed (mark applicable box):        |                                     |                      |
|--------------|---|-------------------------------------|----------------------|
|              | ASTM F963 Physica                                       |                                     |                      |
|              | ASTM F963 Flamm   |                                     |                      |
| $\checkmark$ | ASTM F963 Heavy   |                                     |                      |
| $\checkmark$ | Substrate Lead / Lead in Paint                          |                                     | CPSIA 101            |
|              | 16 CFR Testing  | (CPSC Testing)                      |                      |
| $\checkmark$ | Phthalates  |                                     | CPSIA 108            |
|              | Art Materials (Label                                    | ing of Hazardous Art Materials)     | 16 CFR 1500.14(b)(8) |
|              | Other (please specify):                                 |                                     |                      |
|              | No Test Requested by Importer                           |                                     |                      |
|              | Item #:   | 45-GS153 Item Description:          | USA BASKETBALL       |
|              | Item Specs:   |                                     |                      |
|              |   |                                     |                      |
|              |   |                                     |                      |
|              | City of Factory:  | YIYANG                              |                      |
|              | Country of Factory:                                     | CHINA                               |                      |
|              | Date Manufactured: AUG 20, 2010                         |                                     |                      |
|              |   |                                     |                      |
|              |   |                                     |                      |
|              |   |                                     |                      |
|              |   |                                     |                      |
|              |   | US Toy Company                      |                      |
|              | Address: 13201 Arrington Rd                             |                                     |                      |
|              | Grandview, MO 64030                                     |                                     |                      |
|              | Tel:  | (816) 761-5900                      |                      |
|              |   |                                     |                      |
|              |   |                                     |                      |
|              | Testing Facility: Intertek Contact Name: Karen S. C. Ng |                                     |                      |
|              | Address: 2/F, Garment Centre, 576 Castle Peak Road,     |                                     |                      |
|              |   | Kowloon,                            |                      |
|              |   | Hong Kong.                          |                      |
|              |   | 852 2173 8888                       |                      |
|              | Testing Date(s):  | AUG 16, 2010 Test Report #:         | HKGH01047299         |
|              |   |                                     |                      |
|              | A copy of this report will be maintained by:            |                                     |                      |
|              | Name: Courtney Peterman Tel: (816) 761-5900 ext 2420    |                                     |                      |
|              | Email: capeterman@ustoyco.com                           |                                     |                      |
|              | Address:  | 13201 Arrington Rd Grandview, MO 64 | 030                  |
|              |   |                                     |                      |