

Certificate of Compliance

Date Created/Modified: SEPT 22,2011

This is to certify that the product listed below has been tested in accordance with the following laws and governmental regulations, including the CPSIA of 2008.

Mandatory Tests Performed (mark applicable box):	
✓	ASTM F963 Physical/Mechanical Test
	ASTM F963 Flammability Test
	ASTM F963 Heavy Metal Test
✓	Substrate Lead / Lead in Paint
	16 CFR Testing (CPSC Testing)
✓	Phthalates
	Art Materials (Labeling of Hazardous Art Materials)
	Other (please specify):
No Test Requested by Importer	

Item #: HPE-84 Item Description: Classic Castle
 Item Specs: Made of Plywood

City of Factory: Ningbo
 Country of Factory: China
 Date Manufactured: AUG,2011

Importer Name: Marvel Education Company
 Address: 82 Wall St. Suite 1105
New York, NY 10005
 Tel: 212-662-7005

Testing Facility: Intertek Consumer Contact Name: Nicole Ng
 Address: 6/F Garment Center, 576 Castle Peak Road, Kowloon, Hong Kong.

Tel: 852-21738727
 Testing Date(s): Sep.6th,2010 Test Report #: HKGH01049043

A copy of this report will be maintained by:
 Name: Debra Porter Tel: 212-662-7005
 Email: marvel_ed@yahoo.com
 Address: 82 Wall St. Suite 1105
New York, NY 10005

This Certificate is provided for Marvel Education, its parents, subsidiaries and affiliates, and may be relied on by them to import into and sell, offer to sell, warehouse or distribute in commerce in the U.S.A the product identified on this Certificate.