

### **Test Report**





Client: SHENZHEN EASTSTAR CO., LTD.

Address: 3/F, BLDG 8#, GUANGYANG INDUSTRIAL GARDEN, FUYONG, SZ

The following merchandise was (were) submitted and identified by client as:

Sample Name: Space sword
Sample Model: 32013/32017
Sample Received Date: Jan. 14, 2010
Completed Date: Jan. 21, 2010

Test Requested: ASTM F963-08 Physical and Mechanical Tests / Flammability Test

Test Result(s): Please refer to next page(s).

#### Conclusion:

 The submitted sample(s) MEETS Physical and Mechanical properties/ Flammability requirements of ASTM F963-08, "Standard consumer safety specification on toy safety".

Signed for and on Behalf of CTT

Guanglei Kan / Technical Director Consumer Testing Technology Co., Ltd.

This test report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accession www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. Without prior written permission of the comapny, this cannot be reproduced, except in full.



# **Test Report**





Report No.: CTT10010902EN Date: Jan. 21, 2010 Page 2 of 3

\*Test Result(s):

### Mechanical and Physical Test - ASTM F963-08

As per ASTM standard consumer safety specification for toy safety F963-08

Applicant's specified age group for testing: over 3 years

SECTION	TESTING ITEMS	ASSESSMENT
4.1	Material quality (visual check on cleanliness)	PASS
4.7	Accessible edges (under 8 years of age)	PASS
4.9	Accessible points (under 8 years of age)	PASS
4.11	Nails and fasteners	PASS
4.25	Battery operated toys	PASS
5	LABELLING REQUIREMENTS	PASS
6	INSTRUCTIONAL LITERATURE	PASS
7	PRODUCER'S MARKING	PASS
	-name of producer/distributor	YES
	-address	YES

#### Flammability Test - ASTM F963-08

As per section 4.2 of the ASTM standard consumer safety specification on toy safety F963-08.

Sample	Ignition point	Burn length (inch)	Time (sec)	Burn rate (inch/sec)	Limit (inch/sec)	Conclusion
Space sword	edge			IBE	0.10	PASS

- Note: 1. IBE = Ignited but self-extinguished before burn-rate could be determined As the submitted samples are wholly(mainly) made of paper (unstuffed textile) material, the flammability test of material other than textile was not applicable to the submitted sample.
  - 2. The submitted toy samples was tested, The above result only showed the most severe burn rate of the samples.
  - 3. "\*" = The test sample is received on Jan. 19, 2010.

This test report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and acceptable. www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless stated the results shown in this test report refer only to the sample(s) tested. Without prior written permission of the comapny, this cannot be reproduced, except in full.

Consumer Testing Technology Co., Ltd.

Builing 8,Section B,Northern Industrial District,Songshan Tel:86-769-88989888 Lake Sci.&Tech. Industry Park,Dongguan City Email:enquiry@ctt170 Email:enquiry@ctt17025.com Http://



# **Test Report**





**Photo of Sample:** 



\*\*\*End of Report\*\*\*

This test report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request and accessible www.cttlab.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. Unless of stated the results shown in this test report refer only to the sample(s) tested. Without prior written permission of the comapny, this cannot be reproduced, except in full.