

Certificate of Compliance

Date Created/Modified: SEPT 13,2010

This is to certify that the product listed below has been tested in accordance with the following laws and governmental regulations, including the CPSIA of 2008.

Mandatory Tests Performed (mark applicable box):	
✓	ASTM F963 Physical/Mechanical Test
✓	ASTM F963 Flammability Test
✓	ASTM F963 Heavy Metal Test
✓	Substrate Lead / Lead in Paint
	16 CFR Testing (CPSC Testing)
✓	Phthalates
	Art Materials (Labeling of Hazardous Art Materials)
	Other (please specify):
No Test Requested by Importer	

Item #: KRP-106 Item Description: HOSPITAL PLAYSET
 Item Specs: _____

City of Factory: CHONBURI
 Country of Factory: THAILAND
 Date Manufactured: SEPT 6-10,2010

Importer Name: Marvel Education Company
 Address: 82 Wall St. Suite 1105
New York, NY 10005
 Tel: 212-662-7005

Testing Facility: SGS Contact Name: _____
 Address: 41/23 SOI RAMA III 59 RD, CHONGNONSEE, YANNAWA, BANGKOK 10120

Tel: (662) 683-0758
 Testing Date(s): 31-Aug-10 Test Report #: 1877052
 Testing Date(s): 1-Sep-10 Test Report #: HL1915419/R1

A copy of this report will be maintained by:
 Name: Debra Porter Tel: 212-662-7005
 Email: marvel_ed@yahoo.com
 Address: 82 Wall St. Suite 1105
New York, NY 10005

This Certificate is provided for Marvel Education, its parents, subsidiaries and affiliates, and may be relied on by them to import into and sell, offer to sell, warehouse or distribute in commerce in the U.S.A the product identified on this Certificate.

This Certificate is provided for Marvel Education, its parents, subsidiaries and affiliates, and may be relied on by them to import into and sell, offer to sell, warehouse or distribute in commerce in the U.S.A the product identified on this Certificate.