Certificate of Compliance

Date Created/Modified: 10/12/2010

This is to certify that the product listed below has been tested in accordance with the following laws and governmental regulations, including the CPSIA of 2008.

| | Mandatory Tests Performed (mark applicable box): | | |
|--------------|--|---------------------------------|----------------------|
| \checkmark | ASTM F963 Physica | al/Mechanical Test | |
| | ASTM F963 Flammability Test | | |
| | ASTM F963 Heavy Metal Test | | |
| \checkmark | Lead in Substrate | | CPSIA 101 |
| | 16 CFR Testing | (CPSC Testing) | |
| \checkmark | Phthalates | | CPSIA 108 |
| | | ing of Hazardous Art Materials) | 16 CFR 1500.14(b)(8) |
| | Other (please specify): | | |
| | No Test Requested by Importer Item #: MTC-247 Item Description: Clay Extruder | | |
| | | | Clay Extruder |
| | Item Specs: | Plastic | |
| | | | |
| | City of Foots | Dangguan | |
| | City of Factory: | | |
| | Country of Factory: | China 25 May 00 | |
| | Date Manufactured: | 25-May-09 | |
| | | | |
| | | | |
| | | | |
| | Importer Name | Maryel Education | |
| | Importer Name: Marvel Education Address: 82 Wall St, Suite 1105 | | |
| | 71001 033. | New York, NY 10005 | |
| | Tel· | 212.662.7005 | |
| | 1011 | | |
| | | | |
| | Testing Facility: Intertek Contact Name: MS NICOLE NG | | |
| | Address: 6/F., GARMENT CENTRE,576 CASTLE PEAK ROAD, | | |
| | | KOWLOON, HONG KONG | · |
| | | · | |
| | Tel: | 852-2173-8727 | |
| | Testing Date(s): | 6/1/2009 Test Report #: | HKGH00865607 |
| | | | |
| | A copy of this report will be maintained by: | | |
| | | | 212-662-7005 |
| | Email: | Marvel_ed@yahoo.com | |
| | | 82 Wall St. Suite 1105 | |
| | | | |

This Certificate is provided for Marvel Education, its parents, subsidaries and affiliates, and may be relied on by them to import into and sell, offer to sell, warehouse or distribute in commerce in the U.S.A the product identified on this Certificate.