## **Certificate of Compliance**

Date Created/Modified: MAR 12, 2012

This is to certify that the product listed below has been tested in accordance with the following laws and governmental regulations, including the CPSIA of 2008.

	Mandatory Tests Performed (mark applicable box):						
$\sqrt{}$	ASTM F963 Physica						
$\checkmark$		3 Flammability Test					
$\sqrt{}$		STM F963 Heavy Metal Test					
$\sqrt{}$	Substrate Lead / Le		CPSIA 101				
	16 CFR Testing	(CPSC Testing)					
$\sqrt{}$	Phthalates		CPSIA 108				
		ing of Hazardous Art Materials)	16 CFR 1500.14(b)(8)				
$\sqrt{}$	Other (please specify):) USP 61 MICROBIOLOGICAL TEST						
	No Test Requested by Importer						
	Item #:		ROYALS FLASHING WATER BALL				
	Item Specs:						
	City of Factory:						
	Country of Factory:						
	Date Manufactured:	FEB 10, 2012					
	Lanca and an Managa	HC Tara Carrage					
		US Toy Company					
	Address:	13201 Arrington Rd					
	Tol	Grandview, MO 64030					
	rei:	Tel: (816) 761-5900					
	Testing Facility: Intertek Contact Name: Karen S. C. Ng						
		sting Facility: Intertek Contact Name: Karen S. C. Ng Address: 2/F, Garment Centre, 576 Castle Peak Road,					
	Addi 655.	Kowloon,					
		Hong Kong.					
	Tمl۰	Tel: 852 2173 8888					
	Testing Date(s):		HKCH01276154				
	resting Date(s).	TEST Report // .	111101101270134				
	A copy of this report will be maintained by:						
	Namo	e: Courtney Peterman Tel: (816) 761-5900 ext 2420					
	Email: capeterman@ustoyco.com						
		Address: 13201 Arrington Rd Grandview, MO 64030					
	Addiess. 10201 Attington Na Ordinaview, WO 04000						