Certificate of Compliance

Date Created/Modified: AUG 5,2010

This is to certify that the product listed below has been tested in accordance with the following laws and governmental regulations, including the CPSIA of 2008.

| | | Mandatory Tests Performed (mark app | licable box): | |
|---|---|--|------------------------------------|--|
| | ASTM F963 Physica | al/Mechanical Test | | |
| | ASTM F963 Flamm | | | |
| | ASTM F963 Heavy | | | |
| | Substrate Lead / Lea | | CPSIA 101 | |
| | 16 CFR Testing | (CPSC Testing) PHY&MECH, FLAMM | | |
| Х | Phthalates | | CPSIA 108 | |
| | | ing of Hazardous Art Materials) | 16 CFR 1500.14(b)(8) | |
| | Other (please specify): | | | |
| | No Test Requested by Importer | | | |
| | | | n: B/O INTERACTIVE AROUND THE UNIT | |
| | Item Specs: | Electronic | | |
| | | | | |
| | | | | |
| | City of Factory: | | | |
| | Country of Factory: | | | |
| | Date Manufactured: 20-Jul-10 | | | |
| | | 30-Sep-10 | | |
| | | | | |
| | | | | |
| | | | | |
| | Importer Name: Marvel Education Company | | | |
| | Address: | ss: 82 Wall St. Suite 1105 | | |
| | | New York, NY 10005 | | |
| | Tel: | 212-662-7005 | | |
| | | | | |
| | | | | |
| | Testing Facility: | | | |
| | Address: 2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong | | | |
| | | | | |
| | | | | |
| | | 852-2173-8888 | | |
| | Testing Date(s): | 20-Apr-10 Test Report 7 | #: <u>HKGH00986649</u> | |
| | | | | |
| | | A copy of this report will be maintained by: | | |
| | Name: Debra Porter Tel: 212-662-7005 | | | |
| | | marvel_ed@yahoo.com | | |
| | Address: | 82 Wall St. Suite 1105 | | |
| | | New York, NY 10005 | | |
| | | | | |

This Certificate is provided for Marvel Education, its parents, subsidaries and affiliates, and may be relied on by them to import into and sell, offer to sell, warehouse or distribute in commerce in the U.S.A the product identified on this Certificate.