

# Certificate of Compliance

Date Created/Modified: NOV 02, 2010

This is to certify that the product listed below has been tested in accordance with the following laws and governmental regulations, including the CPSIA of 2008.

Mandatory Tests Performed (mark applicable box):	
	<b>ASTM F963</b> Physical/Mechanical Test
	<b>ASTM F963</b> Flammability Test
✓	<b>ASTM F963</b> Heavy Metal Test
✓	Substrate Lead / Lead in Paint <b>CPSIA 101</b>
✓	<b>16 CFR</b> Testing (CPSC Testing) <b>1500 PHY&amp;MECH</b>
✓	Phthalates <b>CPSIA 108</b>
	Art Materials (Labeling of Hazardous Art Materials) <b>16 CFR 1500.14(b)(8)</b>
✓	<b>Other</b> (please specify): <b>FDA FOR FOODWARE</b>
	<b>No Test Requested by Importer</b>

Item #: 45-SP172 Item Description: ST PAT'S YARD GLASS  
 Item Specs: \_\_\_\_\_

City of Factory: NINGHAI  
 Country of Factory: CHINA  
 Date Manufactured: AUG 28, 2010

Importer Name: US Toy Company  
 Address: 13201 Arrington Rd  
Grandview, MO 64030  
 Tel: (816) 761-5900

Testing Facility: Intertek Contact Name: Karen S. C. Ng  
 Address: 2/F, Garment Centre, 576 Castle Peak Road,  
Kowloon,  
Hong Kong.  
 Tel: 852 2173 8888

Testing Date(s): AUG 23, 2010 Test Report #: HKGH01051687

A copy of this report will be maintained by:  
 Name: Courtney Peterman Tel: (816) 761-5900 ext 2420  
 Email: [capeterman@ustoyco.com](mailto:capeterman@ustoyco.com)  
 Address: 13201 Arrington Rd Grandview, MO 64030

